CHIA





- Ensure an effective break in cereal crop rotations: Family of plants absent drom our
- Rapid development after sowing and strong competitive effect on weeds
- Well suited to summer conditions and early post-harvest sowing Resistant to High temperatures and water stress
- Sensitive to frost (-1°) and easy to destroy

SPECIES

Salvia hispanica

FAMILY

Lamiaceae

CYCLE

Short (± 3 months)

Plant port & Height

Erected - Up to 1 m

Root system

Taproot

Ease of integration in mixtures

Excellent





CHIA




COVER CROP 🗸

GRAZING ✓

BIOGAS PRODUCTION X

COMPANION PLANT X



<u></u> ♠

Before planting vegetation cover, find out about the regulations

in force in your region (Nitrate Directive), particularly as regards the choice of species and the dates and method of destruction.

GROWING TIPS

Crops benefiting from the intercrop: A plant family that does not feature much in rotation. Possible in front of any crop.

Ease of implantation: +++

Sowing date: Well-suited to early sowings

Sowing depth & TGW: 1/2 cm - Approx. 1.3 g

Sowing rate in pure & targeted density:

+/- 5 kg/ha

+/- 380 plants/m²







Destruction method	Soil preparation tools	Ploughing	Frost	Rolling on frost	Crimping	Chemistry	Rolling	Tine cultivators
Efficiency	+++	+++	++++	++++	+++	++++	+++	+

- Very dry-resistant
- Botanical family different from cultivated plants
- Honey plant

Data sources

CTPS/ARVALIS - * data from breeder / partners The agronomic and technological information provided in this document may vary from one year to the next depending on the region and agroclimatic conditions.



SEM-PARTNERS
Semences-Conseils-Services

www.sem-partners.com