SP2 PERFO Cover crop association

The complete multiservice mix

Excellent potential for nitrogen restitution
 Strong soil restructuring action
 Tolerant to dry conditions




SP2 PERFO Cover crop association

USES COVER CROP

CHARACTERISTICS

Competitive effect on weeds

Excellent soil cover, with rapid growth of chickling vetch in autumn, followed by common vetch in spring



GROWING TIPS

Crops benefiting from the intercrop : Well suited before any spring crop other than legumes...

Ease of implantation : +++

Sowing date : Well suited to early and late sowings

Sowing rate & depth: 20 kg/ha - +/- 2 cm

Targeted density : 120 to 130 plants/m²



 Seeding technique
 Under the combine cutterbar
 Direct seeding
 Simplified Cultivation Techniques
 After ploughing

 Adaptation
 ++
 +++
 +++


|--|

Destruction method	Frost	Schredder, roller, chopper	Rolling on frost	Stubble cultivator	Plough	Glyphosate	Glyphosate + 2,4D
Efficiency	– (-10°C)		+	+/-	++	+/-	++

Before planting vegetation cover, find out about the regulations in force in your region (Nitrate Directive), particularly with regard to the choice of species and the dates and methods of destruction.

Data sources

CTPS / ARVALIS - * breeder/partner data - The agronomic and technological information provided in this document may vary from one year to the next depending on the region and agroclimatic conditions.



AGRONOMY

CEPP 0,007 Certificat d'Economie de Produits Phytosanitaires

SPECIES (FAMILIES)

- Canary grass (Poaceae)
- + Forage pea (Legume)
- + Common vetch (Legume)
- + Chickling vetch (Legume)
- + Tillage radish (Brassicaceae)

CYCLE

Long (> 4 months)





Canary grass

Forage pea





Common vetch



Tillage radish

SEM-PARTNERS Semences-Conseils-Services Centre de Bois Henry 78580 MAULE www.sem-partners.com